

SMALL-SCALE COST-EFFECTIVE HOT WATER SEED TREATMENT



Frank Morton, Wild Garden Seed
Tom Stearns, High Mowing Seeds
Nick Andrews, OSU Small Farms Extension

Less than \$200 equipment & supplies PLUS labor of course...!

We know this is difficult

- All of a sudden you're being required to hot water treat Brassica seeds in Oregon
- You are very busy
- You have lots of seed lots to deal with
- You haven't done this before & don't have the equipment
- You are concerned about seed viability and storability
- There is some regulatory uncertainty, etc., etc.

Hot water may be a useful tool for organic farms

- Many vegetable seeds are prone to seed-borne diseases
- Without proven fungicides hot water treatment can improve our defense against diseases like blackleg, light leaf spot, Verticillium, Fusarium, Xanthomonas, Alternaria, Botrytis and many viruses.

Key steps

- 1. Maintain seed identity can be time consuming with lots of lots
- Pre-heat seeds to avoid shock about 100-110°F for 10 minutes
- 3. Treat in 122°F water with temperature accurate to 0.1-1°F
- 4. Cool them down right away to prevent excess heat exposure
- Dry seed immediately to avoid priming the seed
- 6. Keep your system clean

| Seed | Water temperature | | Minutes |
|--|-------------------|----|---------|
| | ۰F | °C | |
| Brussels sprouts, eggplant, spinach, cabbage, tomato | 122 | 50 | 25 |
| Broccoli, cauliflower, carrot, collard, kale, kohlrabi, rutabaga, turnip | 122 | 50 | 20 |
| Mustard, cress, radish | 122 | 50 | 15 |
| Pepper | 125 | 51 | 30 |
| Lettuce, celery, celeriac | 118 | 47 | 30 |

From Hot Water and Chlorine Treatment of Vegetable Seeds to Eradicate Bacterial Plant Pathogens. HYG-3085-05, by Sally Miller and Melanie Lewis Ivey

1. Maintain seed identity

- Nylon stockings cut to different lengths tight knot in one end, loose knot in the other
- Some kind of sturdy reliable clamp would be quicker
- Muslin bags or cut up pillow cases
- Label = doubled over blue masking tape w/ a Sharpy pen, plastic label with ball-point pen on the draw string...
- Water proof Sharpy's will stay on plastic plant tags







1. Maintain seed identity – more bags



1 gallon paint strainers with rubber bands to tie the top



Stapled coffee filters

From: http://vegetablemdonline.ppath.cornell.edu/NewsArticles/HotWaterSeedTreatment.html



Loosely tie the top of the bag



Pour seed & label into bags



Make sure seed is loose in the bag – good water flow is key

2. Preheat the seeds

- 1. About 100-110°F for 10 minutes
- 2. Check temperature with a thermometer
- 3. Precision isn't critical easy enough with warm tap water

4. This could be a big area of re-infection if not cleaned –

it's a dirty step



- Accuracy ensures seedborne pathogens are killed and seed is still viable and stores well.
- Good thermometers ~\$50
 - Mercury
 - Water proof digital Thomas Scientific two probe waterproof. Updates 2x per second with 0.1°F accuracy
- Redundancy is good >1 thermometer




- Use a relatively large container. Lots of water maintains more even temperature during the 15-30 minutes when seeds are treated.
- Frank uses camping coolers Tom uses stainless sinks
- Circulate water with a stirring rod or \$20 fishtank circulator







- Set your hot water heater to about 125°F (the water cools off a bit in the lines)
- Fill your container with the hot water
- Monitor the temperature and maintain within about 0.5-1°F if you're planting right away. We think 0.1°F accuracy is important if you plan to store seed.
- When water starts to cool add a squirt of boiling water from the kettle
- Avoid seed contact, and circulate quickly
- Sous Vide hot water heater and circulator costs
 ≥\$200 but is nice used for cooking.







- Tom can run about 20lbs of seed per batch through the sinks
- Frank uses a larger cooler to run larger batches
- Only seeds with same time and temperature requirements in the same batch
- Set an alarm so you can do other things, but check the temperature at least a few times during the process unless you have confidence in your Sous Vide.

4. Cool the seed

- Cool tap water
- Get the seed down to ambient temperature right away

5. Pre-dry the seed

- Frank pre-dries small lots in the bags on a terry cloth towel
- He pours out larger lots (i.e. >1 lb) on the towel to pre-dry them more quickly
- Tom uses a spin dryer with no heat (1,600rpm for 3 minutes)

5. Dry the seed

- Air dry the seed at 85°F overnight especially if you are storing the seed
- Small lots (i.e. a few ounces) can stay in the bags
- Larger lots should be spread thinly on a screen



- Some counter-top food dryers can be set as low as 85°F
- You may be able to dry seeds on trays in a warm room or over a heating vent
- During warmer weather, gentle air flow may sufficient

6. Clean your set-up

- Avoid re-infection from infected lots and less than 100% effective treatment
- Frank and Tom scrub everything down and replace the water between lots
- Tom is considering an ozone treatment to keep the water sterile. Then they would only have to replace the water when it has too much debris

Start small

- Try treating some extra seed at a small scale
- Test germination of treated and untreated seed from the same batch
- Consider storing some seed and testing later to gain confidence in the accuracy of your system for future years
- Start small again whenever you try a new type of seed
- Hot water treatment exacerbates problems with poor quality seed, i.e old, harvested immature, damaged seed coat, diseased, etc.. Not always a bad thing – maybe that wouldn't have been a profitable plant anyway.



THANKS FRANK & TOM!!!



Nick Andrews

Cell: 503-913-9410

Nick.andrews@oregonstate.edu